



E-Mail: editor.ijasem@gmail.com editor@ijasem.org

www.ijasem.org



WIRELESS COMMUNICATION SYSTEM BASED PAPR REDUCTION TECHNIQUES FOR MASSIVE MIMO

Dr. Mahesh Kumar Porwal¹,S Naresh Kumar²

¹Associate Professor,Assistant Professor²

Department Of ECE

Sree Chaitanya College of Engineering, Karimnagar

Abstract—Multiple input multiple output systems, or MIMOs for short, are wireless communication systems that use a large number of transmitters and receivers to broadcast data at specific intervals. This lets the receiver decode signals from many sources by operating in scattering situations. By spreading and accepting the signals among numerous users, this aids in enhancing the network with increased efficiency. Increasing the number of antennas at the base station is how large-scale MIMO technology is implemented. One of the most challenging limitations that MIMO technology faces today is its high Peak to Average Power Ratio (PAPR). To cover the needed surface area and generate the required power, a High Power Amplifier (HPA) is required. The memory-less non-linear distortion has a significant impact on the communication network's efficiency. The high power amplifier tends to retain the band power at minimum intervals with restricted areas if it is unable to operate at a rectilinear region. To improve performance efficiency, it is crucial to examine and improve the MIMO system's PAPR reduction techniques. Therefore, the PAPR reduction approaches are used to increase the energy efficiency (EE) of the multiple input multiple output (MIMO) system Orthogonal Frequency Division Multiplexing (OFDM).

Keywords: base station, antennas, wireless communication system, Peak to Average Power Ratio (PAPR), Multiple Input Multiple Output (MIMO), High Power Amplifier (HPA)

I.Introduction

The MIMO wireless system is a striking technology in wireless communication system which possess peak to average power ratio (PAPR) used to transmit the signals that tends in the signal distortion [1]. The MIMO system are differentiated into single user (SU and multiple user (MU) systems. It only operates at wireless routers where the data are transferred with the absence of infrastructure. This sends the similar data as signals using multiple antennas in the communication network [2]. This is done at the base station that sends and receive the signals. The transmission of high data rate is achieved through the orthogonal frequency division multiplexing (OFDM) to enhance higher efficiency in the communication system [3]. This is done through the inverse fast Fourier transform (IFFT) system. This helps to make the communicating system more efficient and avoid the interruptions in the system [4]. The high PAPR is a major disadvantage in the MIMO wireless communication system.

The MIMO wireless system are one of the important tool for technological development for 5G communication system [5]. This leads to higher efficiency with speed rate. This helps to develop the communication network schemes and to enhance the data rate [6].

The massive MIMO system are also referred as the large scale MIMO system. This helps to meet the demand in the wireless communication

network [7]. The massive MIMO system are referred as the several number of antennas that are used to transmit the data in the communication network. This tends to obtain various rapid changes in the networking system for data transmission [8]. The reduction of PAPR is done through the multiple carrier frequency range. The reduction and degradation of the disturbances are reduced due to the development of numerous path in the network [9]. The functioning of system at low power reduces the overall efficiency of the wireless communication system. The MIMO system have an enough strength to reduce the peak to average power ratio in the transmission and receiving of data.

II.PROPOSED SYSTEM

In the wireless communication system, the PAPR is an important issue to extract the overall efficiency and performance of the system. Increase in the PAPR schemes leads to rise in the high power value. The implementation of high power amplifier is a major challenge when the PAPR reduction techniques are much higher. The PAPR reduction technique is obtained through the peak amplitude divide by the average value of the waveform. The optimized data rate transmission in the MIMO system is a complicated process implementation because it needs higher computational performance. Thus the PAPR reduction technique is obtained to reduce the noise and fluctuations in the communication network.

This includes three stages such as initialization of data, pre-processing with data acquisition and equalization process. This leads to reduce the overall performance loss in the network. This is accompanied with synchronization techniques [10]. Thus by reducing the error rate and PAPR reduction, the network performance is obtained with higher efficiency is accomplished.




Fig 1: Massive MIMO techniques

The figure 1 represents the massive MIMO techniques. This shows the threshold spectrum efficiency and network energy efficiency. This includes multiple antennas at the base station to transmit and receive signals [11]. They are interconnected with each other to avoid the occurrence of errors and reduction in speed rate. To avoid fading in the communication system, creating numerous version of similar signal gives higher ability of data to be transmitted at a particular period of time [12].




Fig 2: Stages in PAPR reduction schemes

The figure 2 demonstrates the stages in PAPR reduction schemes. The process of reduction in the complexity of the computational performance is achieved to obtain the higher rate of data transmission [133]. The PAPR reduction schemes are done with implementing several physical parameters. To implement higher transmission quality in the wireless technology, the recommended algorithm are done to higher

convergence. The loss of data rate in transmission and error in the bit rate are caused due to the absence of the PAR reduction techniques in the wireless communication system [14].

A digital analog converter (DAC) is used to avoid signal distortion and radiation. To avoid the signal distortion and radiation factor, it must operate at a very wide surface areas. This can be classified as sub block strategy and entire block strategy [15]. The non-availability of PAPR techniques causes the communication network to rise in the transmission power and complexity in the overall computational performance [16].

III.METHODOLOGY

In the multiple input multiple output system, numerous numbers of subcarriers are needed to transmit the data which includes the high peak to average power ratio. This can be eliminated by using the partial transmit sequence (PTS) method.

It involves the process of error coding and decoding process with mapping process and to avoid the occurrence of noise in the wireless network [17]. The reduction of PAPR techniques are done with various techniques such as the selective ,mapping techniques, clipping process with filtering techniques and tone reservation process. Thus the partial transmit sequences are adopted in the PAPR reduction techniques [18]. This is based on the particle swarm optimization techniques. The PAPR reduction schemes are much important in the wireless communication system to avoid the presence of signal clipping at the output. It is also accompanied with the manipulation of the signal that are done before transmission [19].




Fig 3: PTS block diagram

The figure 3 demonstrates the PTS block diagram. This is done through the particle swarm optimization techniques. The particle swarm optimization id referred as a population based



algorithm which includes the accumulation of particles to move in stages at the particular location [20]. At each stages, the algorithm helps in the evaluation of the objective function. [21].




Fig 4: SLM block diagram

The figure 4 represents the SLM block diagram. This is used in moderate sub carriers and done with reduced computation complexity in the system. This provides substantial results and needs appropriate coding to protect the data in the system [22]. Thus the reduced number of PAPR is obtained for transmission. Thus the overall reduction is done through the particle swarm optimization techniques.



Fig 5: Flowchart

The figure 5 represents the flowchart depicting the particle swarm optimization techniques. This includes initialization of data and analyzing the fitness function.

Then obtaining the global optimum value [23]. This is forwarded through the position and rate updating process. Finally the optimum solution is obtained. This is an artificial intelligence techniques that involves the process of obtaining the appropriate solutions for a difficult problems. This also involves maximization and minimization

process in analysis of desired output solution in the system

IV.SOFTWARE IMPLEMENTATION AND RESULTS

The improvement and reduction of PAPR schemes in multiple input multiple output system is done in matlab Simulink.




Fig 6: PAPR in matlab

The figure 6 represenst the PAPR reduction technique demonstration in matlab.



Fig 7: Optimization algorithm

The figure 7 represents the algorithm for particle swarm optimization techniques. Optimization is a process of obtaining a desired solution through the obtained data with performing numerous iterations [24].




Fig 8: Data pre-processing

The figure 8 represents the data pre-processing and data acquisition techniques. The data preprocesing



an important techniques in the reduction process. The data preprocesing helps in obtaining the data without any external disturbances [25].




Fig 9: OFDM signal

The figure 9 demonstrates the OFDM signal generation. This is used to encoding the digital data in a multiple carrier frequency. This orthogonal frequency division multiplexing is a form of digital transmission.




Fig 10: BER performance

The figure 10 shows the BER performance in the network. The BER performance is defined as the number of bit errors occurred per unit time interval. It is represented in percentage.

V.CONCLUSION

The major objective of the proposed system is to enhance and improve peak to average power ratio (PAPR) reduction tactics in a MIMO wireless system. Particle swarm optimization techniques that consider the power spectrum, frequency spectrum, and BER performance of the network are used to achieve this. Therefore, system efficiency increases and base station data transmission and reception function accurately when PAPR is reduced. As a result, the recommended strategy has a rapid convergence rate and minimal computing overhead.

REFERENCES

[1] Hammed, Zainab Sh, Siddeeq Y. Ameen, and Subhi RM Zeebaree. "Massive MIMO-OFDM

- performance enhancement on 5G." 2021 International Conference on Software, Telecommunications and Computer Networks (SoftCOM). IEEE, 2021.
- [2] Zayani, Rafik, Hmaied Shaiek, and Daniel Roviras. "PAPR-aware massive MIMO-OFDM downlink." *IEEE Access* 7 (2019): 25474-25484.
- [3] Kalinov, Aleksei, et al. "Machine Learning-Assisted PAPR Reduction in Massive MIMO." *IEEE Wireless Communications Letters* 10.3 (2020): 537-541.
- [4] Kalinov, Aleksei, et al. "Machine Learning-Assisted PAPR Reduction in Massive MIMO." *IEEE Wireless Communications Letters* 10.3 (2020): 537-541.
- [5] Kalinov, Aleksei, et al. "Machine Learning-Assisted PAPR Reduction in Massive MIMO." *IEEE Wireless Communications Letters* 10.3 (2020): 537-541.
- [6] Ajayi, Idowu, et al. "PAPR-Aware Artificial Noise for Secure Massive MIMO Downlink." *IEEE Access* 10 (2022): 68482-68490.
- [7] Nema, Lucky, and Vikas Gupta. "PAPR Reduction of Massive 5G Systems using Modified PTS with DCT Scheme." 2020 IEEE International Conference for Innovation in Technology (INOCON). IEEE, 2020.
- [8] Nema, Lucky, and Vikas Gupta. "PAPR Reduction of Massive 5G Systems using Modified PTS with DCT Scheme." 2020 IEEE International Conference for Innovation in Technology (INOCON). IEEE, 2020.
- [9] hawqi, Farooq Sijal, et al. "A Review of PAPR Reduction Techniques for UFMC Waveform." 2020 4th International Symposium on Multidisciplinary Studies and Innovative Technologies (ISMSIT). IEEE, 2020.
- [10] Albreem, Mahmoud A., Markku Juntti, and Shahriar Shahabuddin. "Massive MIMO detection techniques: A survey." *IEEE Communications Surveys & Tutorials* 21.4 (2019): 3109-3132.
- [11]Lee, Byung Moo. "Massive MIMO with downlink energy efficiency operation in Industrial Internet of Things." *IEEE Transactions on Industrial Informatics* 17.7 (2020): 4669-4680.
- [12] Jawhar, Yasir Amer, et al. "A review of partial transmit sequence for PAPR reduction in the



- OFDM systems." *IEEE Access* 7 (2019): 18021-18041.
- [13]Zhang, Weile, Nan Zhao, and Xianbin Wang. "Peak-to-Average Power Ratio Reduction for High-Mobility Massive MIMO With Angle-Domain Doppler Suppression." *IEEE Wireless Communications Letters* 10.4 (2020): 735-739.
- [14]Liu, Xiaoran, et al. "PAPR reduction using iterative clipping/filtering and ADMM approaches for OFDM-based mixed-numerology systems." *IEEE Transactions on Wireless Communications* 19.4 (2020): 2586-2600.
- [15]Padarti, Vijaya Kumar, et al. "Computationally Efficient Hybrid Algorithm for Peak to Average Power Ratio Reduction in Multiuser MIMO OFDM System." 2022 Second International Conference on Advances in Electrical, Computing, Communication and Sustainable Technologies (ICAECT). IEEE, 2022.
- [16] Lee, Byung Moo. "Adaptive switching scheme for RS overhead reduction in massive MIMO with industrial Internet of Things." *IEEE Internet of Things Journal* 8.4 (2020): 2585-2602.
- [17]Hu, Meixia, et al. "A generalized piecewise linear companding transform for PAPR reduction in OFDM systems." *IEEE Transactions on Broadcasting* 66.1 (2019): 170-176.
- [18]Lyu, Haifeng, and Kenle Chen. "Analysis and Design of Reconfigurable Multiband Mismatch-Resilient Quasi-Balanced Doherty Power Amplifier for Massive MIMO Systems." *IEEE Transactions on Microwave Theory and Techniques* 70.10 (2022): 4410-4421.
- [19]Peccarelli, Nicholas, et al. "Survey: Characterization and mitigation of spatial/spectral interferers and transceiver nonlinearities for 5G MIMO systems." *IEEE Transactions on Microwave Theory and Techniques* 67.7 (2019): 2829-2846.
- [20] Bebyrahma, Aliva Meidya Kautsar, and Titiek Suryani. "Analysis of Combined PAPR Reduction Technique with Predistorter for OFDM System in 5G." 2022 International Seminar on Intelligent Technology and Its Applications (ISITIA). IEEE, 2022.
- [21]Sharan, Nishant, S. K. Ghorai, and Ajit Kumar. "Peak-to-average power ratio (PAPR) reduction using combination of precoding and companding techniques for VLC OFDM

- systems." 2019 TEQIP III Sponsored International Conference on Microwave Integrated Circuits, Photonics and Wireless Networks (IMICPW). IEEE, 2019.
- [22] Aishwarya, Pyata, and Rajkumar L. Biradar. "PAPR Reduction in Space Time Coded MIMOOFDM System using SCS-SLM Technique." 2020 4th International Conference on Electronics, Communication and Aerospace Technology (ICECA). IEEE, 2020.
- [23] Abdelkader, Youssef M., Maysara M. Hamada, and Ahmed N. Mohieldin. "System Level Co-Simulation Approach for Ultra-Wideband Massive MIMO Beam Forming Phased Array Transmitters." 2019 31st International Conference on Microelectronics (ICM). IEEE, 2019.
- [24]Sharan, Nishant, S. K. Ghorai, and Ajit Kumar. "PAPR reduction using a Precoder and Compander combination in a NOMA-OFDM VLC system." 2022 2nd International Conference on Artificial Intelligence and Signal Processing (AISP). IEEE, 2022.
- [25]Raja, M. Ponmani, S. Sujatha, and P. Prajoon. "Novel PAPR Reduction in UFMC system for 5G Wireless Networks Using Precoding Algorithm." 2022 International Conference on Wireless Communications Signal Processing and Networking (WiSPNET). IEEE, 2022.
- [26] Sruthi, S., and Dhoulath Beegum. "A review on different modulation schemes for massive MIMO." 2019 International Conference on Intelligent Computing and Control Systems (ICCS). IEEE, 2019.
- [27] Ataeeshojai M, Elliott R C, Krzymień W A, Tellambura C and Melzer J 2020 Energy-Efficient Resource Allocation in Single-RF Load-Modulated Massive MIMO HetNets *IEEE Open Journal of the Communications Society* 1pp 1738-1764
- [28] Khalaf, O.I., Ogudo, K.A. and Singh, M., 2021. A fuzzy-based optimization technique for the energy and spectrum efficiencies trade-off in cognitive radio-enabled 5G network. *Symmetry*, *13*(1) p.47.
- [29] Walia, G. S., Singh, P., Singh, M., Abouhawwash, M., Park, H. J. et al. (2022). Three-Dimensional Optimum Node Localization in Dynamic Wireless Sensor Networks. *CMC-Computers, Materials & Continua, 70(1), 305–321.*



- [30] Singh, M., Kumar, M. and Malhotra, J., 2018. Energy efficient cognitive body area network (CBAN) using lookup table and energy harvesting. *Journal of Intelligent & Fuzzy Systems*, 35(2), pp.1253-1265.
- [31] M. Hassan, M. Singh and K. Hamid, "Survey on NOMA and Spectrum Sharing Techniques in 5G," 2021 IEEE International Conference on Smart Information Systems and Technologies (SIST), 2021, pp. 1-4, doi: 10.1109/SIST50301.2021.9465962.
- [32] Thota S., Kamatham Y., Paidimarry C.S (2021) Comparison of PAPR in OFDM and FBMC/OQAM Using PAPR Reductio Methods.
- [33] Kadu and M. Singh, "Comparative Analysis of e-Health Care Telemedicine System Based on Internet of Medical Things and Artificial Intelligence," 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC), 2021, pp. 1768-1775, doi:
- 10.1109/ICOSEC51865.2021.9591941.
- [34] Mohamed Hassan, Manwinder Singh & Khalid Hamid (2021) "IMPACT OF POWER AND BANDWIDTH ON THE CAPACITY RATE AND NUMBER OF USERS IN SCNOMA", Harbin GongyeDaxueXuebao/Journal of Harbin Institute of Technology,53(9), pp. 118–124. Availabl at:http://hebgydxxb.periodicales.com/index.php/JHIT/article/view/726 (Accessed: 15 February 2022).
- [35] M. Hassan, M. Singh and K. Hamid, "Survey on NOMA and Spectrum Sharing Techniques in 5G," 2021 IEEE International Conference on Smart Information Systems and Technologies (SIST), 2021, pp. 1-4, doi: 10.1109/SIST50301.2021.9465962.
- [36] V Prathyusha Sandhya Bolla K RamMohan Rao Conference: An overview of massive mimo antennas for 5G in future
- [37] M. A. Ali Al-Samawi and M. Singh, "Effect 5G On IOT And Daily Life Application," 2022 3rdInternational Conference for **Emerging Technology** (INCET). 2022, pp. 10.1109/INCET54531.2022.9823983.
- [38] Belsare, Karan S., and Manwinder Singh.
 "Various Frameworks for IoT-Enabled
 Intelligent Waste Management System Using
 ML for Smart Cities." In *Mobile Computing*

- and Sustainable Informatics, pp. 797-817. Springer, Singapore, 2022.
- [39] Hassan, Mohamed, Manwinder Singh, and Khalid Hamid. "Review of NOMA with Spectrum Sharing Technique." In *ICT with Intelligent Applications*, pp. 135-143. Springer, Singapore, 2022.
- [40] S. Thota, Y. Kamatham and C. S. Paidimarr, "Analysis of Hybrid PAPR Reduction Methods of OFDM Signal for HPA Models in Wireless Communications," in IEEE Access, vol. 8, pp. 22780-22791, 2020 doi:10.1109/ACCESS.2020.2970022.
- [41] Sandhya Bolla¹ and Manwinder Singh² Journal of Physics Conference Series 2327 (2022)
 012059 IOP Publishing doi:10.1088/1742-6596/2327/1/012059 Energy Harvesting Technique for Massive MIMO Wireless Communicati Networks
- [42] Mohamed Hassan, Manwinder Singh & Khalid Hamid (2021) "IMPACT OF POWER AND BANDWIDTH ON THE CAPACITY RATE AND NUMBER OF USERS IN
- SC-NOMA", Harbin GongyeDaxueXuebao/Journal of Harbin Institute of Technology, 53(9), pp. 118–124.

 Availablehttp://hebgydxxb.periodicales.com/ind ex.php/JHIT/article/view/726 (Accessed: 15 February 2022).
- [43] K. Hassan, M. Masarra, M. Zwingelstein and I. Dayoub, "Channel Estimation Techniques for Millimeter-Wave Communication Systems: Achievements and Challenges," in IEEE Open Journal of the Communications Society, vol. 1, pp. 1336-1363, 2020, doi: 10.1109/OJCOMS.2020.3015394.
- [44] Singh, M., Kumar, M. and Malhotra, J., 2018. Energy efficient cognitive body area network (CBAN) using lookup table and energy harvesting. *Journal of Intelligent & Fuzzy Systems*, 35(2), pp.1253-1265.
- [45] Hassan, M., Singh, M., & Hamid, K. (2021). Overview of Cognitive Radio Networks. *Journal of Physics: Conference Series*, 1831.
- [46]Kadu, Ankush, Manwinder Singh, and Kingsley Ogudo. "A Novel Scheme for Classification of Epilepsy Using Machine Learning and a Fuzzy Inference System Based on Wearable-Sensor Health Parameters." Sustainability 14.22 (2022): 15079.



- [47]Belsare, Karan S., and Manwinder Singh.
 "Various Frameworks for IoT-Enabled
 Intelligent Waste Management System Using
 ML for Smart Cities." In *Mobile Computing*and Sustainable Informatics, pp. 797-817.
 Springer, Singapore, 2022
- [48]Walia, G. S., Singh, P., Singh, M., Abouhawwash, M., Park, H. J. et al. (2022). Three-Dimensional Optimum Node Localization in Dynamic Wireless Sensor Networks. *CMC-Computers, Materials & Continua*, 70(1), 305–321.
- [49] Singh, M., Kumar, M. and Malhotra, J., 2018. Energy efficient cognitive body area network (CBAN) using lookup table and energy harvesting. *Journal of Intelligent & Fuzzy Systems*, 35(2), pp.1253-1265.
- [50] M. Hassan, M. Singh and K. Hamid, "Survey on NOMA and Spectrum Sharing Techniques in 5G," 2021 IEEE International Conference on Smart Information Systems and Technologies (SIST), 2021, pp. 1-4, doi: 10.1109/SIST50301.2021.9465962.
- [51] Rokade and M. Singh, "Analysis of Precise Green House Management System using Machine Learning based Internet of Things (IoT) for Smart Farming," 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC), 2021, pp. 21-28, doi: 10.1109/ICOSEC51865.2021.9591962.
- [52] Kadu and M. Singh, "Comparative Analysis of e-Health Care Telemedicine System Based on Internet of Medical Things and Artificial Intelligence," 2021 2nd International Conference on Smart Electronics and Communication (ICOSEC), 2021, pp. 1768-1775, doi: 10.1109/ICOSEC51865.2021.9591941.
- [53] Mohamed Hassan, Manwinder Singh & Khalid Hamid (2021) "IMPACT OF POWER AND BANDWIDTH ON THE CAPACITY RATE AND NUMBER OF USERS IN SCNOMA", Harbin GongyeDaxueXuebao/Journal of Harbin Institute of Technology, 53(9), pp. 118–124. Available at: http://hebgydxxb.periodicales.com/index.php/J HIT/article/view/726 (Accessed: 15 February 2022).
- [54] M. Hassan, M. Singh and K. Hamid, "Survey on NOMA and Spectrum Sharing Techniques in 5G," 2021 IEEE International Conference on Smart Information Systems and Technologies

- (SIST), 2021, pp. 1-4, doi: 10.1109/SIST50301.2021.9465962.
- [55] Hassan, M., Singh, M., & Hamid, K. (2021). Overview of Cognitive Radio Networks. *Journal of Physics: Conference Series*, 1831.
- [56] S. K. Roy, M. Singh, K. K. Sharma, C. Bhargava and B. P. Singh, "Mathematical Modelling of Simple Passive RC Filters Using Floating Admittance Technique," 2020 IEEE International Conference for Innovation in Technology (INOCON), 2020, pp. 1-6, doi: 10.1109/INOCON50539.2020.9298230.
- [57] M. A. Ali Al-Samawi and M. Singh, "Effect Of 5G On IOT And Daily Life Application," 2022 3rd International Conference for Emerging Technology (INCET), 2022, pp. 1-5, doi: 10.1109/INCET54531.2022.9823983.
- [58] Walia, Gagandeep Singh, Parulpreet Singh, and Manwinder Singh. "Localizing mobile nodes in WSNs using neural network algorithm." *Materials Today: Proceedings* (2022).
- [59] Hassan, Mohamed, Manwinder Singh, and Khalid Hamid. "Review of NOMA with Spectrum Sharing Technique."In *ICT with Intelligent Applications*, pp. 135-143.Springer,Singapore, 2022.
- [60] Hassan, Mohamed, Manwinder Singh, Khalid Hamid, Rashid Saeed, MahaAbdelhaq, and RaedAlsaqour. 2022. "Modeling of NOMA-MIMO-Based Power Domain for 5G Network under Selective Rayleigh Fading Channels" Energies 15, no. 15: 5668. https://doi.org/10.3390/en15155668
- [61]Hassan, Mohamed, Manwinder Singh, Khalid Hamid, Rashid Saeed, MahaAbdelhaq, and RaedAlsaqour. 2022. "Design of Power Location Coefficient System for 6G Downlink Cooperative NOMA Network" Energies 15, no. 19: 6996. https://doi.org/10.3390/en15196996.