



E-Mail: editor.ijasem@gmail.com editor@ijasem.org





# Connected Health Care System for COVID-19 Patients Utilising the Internet of Things

Dr. N.V. Subba Rao

Professor, Department of EEE

Anu Bose Institute of Technology for Women's, Paloncha, Telangana, India

Email: nvsubbaraonv@gmail.com

ABSTRACT- In a nutshell, clinical surveillance solutions are crucial for meeting the care needs of individuals in non-industrialized nations. Since coronavirus is contagious in nature, it is important to isolate those infected while simultaneously having clinical analysts check on the health of those infected. It is becoming more difficult to keep tabs on the health and wealth concerns of a small number of individuals due to the assisting kind of events. Within the framework of an Internet of Things (IoT) enabled machine design for a Wi-Fi sensor network. Common applications include medical care communities' data collection and tracking using specialised sensors. Incorporating a wireless local area network (Wi-Fi), this product has three exceptional sensors linked to the transmitter area: a heart rate monitor, a temperature monitor, a blood pressure monitor, and an oxygen monitor. These sensors immediately attach to the affected person and collect customer complaints via the use of detection devices. The clinical professional will gather all client updates via that collection inconvenience, and similar measures are sent remotely to the benefit location. In addition, it will effectively remind patients to take their medications at the recommended times. Additionally, a single sharp ringer will be present at the patient to basically advocate for clients in distress. The ringer will go off as soon as the patient presses the emergency button.

Keywords: Surveillance, Heart, IOT, Coronavirus, Wi-Fi, Oximeter.

#### 1. INTRODUCTION

One method of patient monitoring involves using a main physiological estimator to remotely transmit first boundary information and a first remote detecting device to measure the patient's first physiological boundary. At the first tolerant screen, the distant detecting devices provide the primary boundary information. The primary physiological data is dependent on the boundary information [1,2], and it is presented on the initial presentation associated with the main patient screen. The primary remote detector is located in a predetermined area linked to the next patient screen, and the primary remote detector's identification data is subsequently sent to the next patient screen [3]. After that, the main physiological data is shown on a subsequent screen that is associated with the next patient screen, and the major boundary information is retrieved from the primary remote detecting device.

The structure, method, and device for remote health monitoring are unveiled. To inform and oversee patient wellness, the systems use data gathering and transmission units, flexible computing devices, handling, analysis, and capacity (PAS) units, and a framework based on an original area and power-aware

2. LITERATURE SURVEY

communication systems and research [4]. Methods for communicating with a patient's healthcare provider (HCP) and sending data to a PAS unit via a web-connected personal digital assistant (PDA), methods for detecting data anomalies, methods for advanced logical diagnostics, and a framework for patient-provider interaction are also provided [5,6]. Continuous monitoring of the patient without interfering with their daily lives is possible with the help of modern health monitoring systems, which also allow for the intervention of specific professionals, the sharing of assets or data within existing medical care offices, and access to patients in underserved or remote areas.

Finds out how medical records are sent via a remote life support system. Using the asset status and the criticality of the clinical information, [7,8] reveals a specialised gadget asset identification. [9] Discloses a plan and tools that allow executives to remotely communicate client pulse data with customisable power. Although disease management frameworks have been designed, they are mostly limited to densely populated urban areas with good infrastructure. Testing methods and frameworks from distant, unrelated places are still required.

A method for determining if a person has COVID-19. The method involves collecting a patient's sputum, determining the



Vol 18, Issue 4, 2024

amount of reactive oxygen species (ROS) in it, and then determining the patient's COVID-19 contamination status based on that measured amount of ROS. The amount of reactive oxygen species (ROS) in the sputum may be estimated by recording a cyclic voltammetry (CV) pattern from the sample and then determining the current peak of that recorded CV pattern [10]. Identifying whether an individual is contaminated with COVID-19 involves determining whether their COVID-19 disease is in a first range of more than 230 μA or whether their COVID-19 non-contamination is in a moment range of less than 190 μA, relative to the deliberate ebb and flow

A plan is in place to collect and transmit biometric data (such as vital physiological functions) from clients; this data is then processed to determine whether the clients are suffering from a viral illness, such as COVID-19. The method involves transmitting data from a pulse oximeter-which measures the heart rate and blood oxygen saturation—to a mobile phone over a remote connection [11,12]. To ensure the data is accurate, the phone's accelerometer is used to measure the phone's or the client's movement. Based on the specific requirements, the data, updates to it, and the guarantee can be used to alert clinical staff and make comparative moves when accurate information is transferred to the cloud (or host). This data is used to determine if a client is experiencing (or likely to experience) the effects of a viral disease, such as COVID-19, either alone or in conjunction with other basic signs. A device and a sterile, sealable container for determining the existence of microbes; the container may include a fluid culture medium and a sensor that signals the presence of a pointer media. From outside the vessel, we may detect changes in the marker medium caused by changes in pH or CO2 fixation. A device with a channel, a stock framework, and a location framework may detect small particles that can be differentiated by radiation or by tests or antibodies designed for that purpose [15]. The liquid under examination is passed via a channel that is used to filter out the small particles and carry out the testing operations by feeding the channel comparing stamping materials.

Ever since its first appearance in February 2020, coronavirus has emerged as a major global health concern. The health, economics, correspondences, and every aspect of social activities throughout the world have been affected by this astounding global viral epidemic. The scientists decided to call it SARS-CoV-2 since it showed similarities to SARS, which was discovered in 2003, for instance, respiratory issues. On the other hand, it is more contagious compared to SARS-CoV-2. More than 7 million people have contracted this virus by June 2020, according to data compiled by the World Health Organisation (WHO). Additionally, up to June 2020, 400,000 people have died as a result of COVID-19. Experts have been forced to develop new tests for early diagnosis or pre-screening in order to more easily analyse and isolate individuals who are

believed to be infected due to the uncontrolled nature of this epidemic. In order to assist prevent and reduce the fatality rate, early detection of this viral illness is crucial.

#### 3. PROBLEM FORULATION

Different approaches have been invented for interacting with medical services by recognizing and forestalling COVID-19. The focus on supplies a framework comprised of distinct sensors for dealing with medical care [16,17].




Figure 1: Schematic view of IoT Based healthcare monitoring system




Figure 2: Schematic view of smart health system to monitor

Connected to the ATmega328 microcontroller (Arduino Uno), the temperature and heartbeat sensors may be used to measure the patient's temperature. The data is then sent to an LCD display for visual representation. (18,patients in their homes who have contracted COVID-19 The purpose of establishing monitoring systems is to reduce healthcare expenditures by minimising unnecessary doctor visits, hospital stays, and symptomatic diagnostic devices. Everyone's body temperature and pulse rate are part of their overall health. Figure 1 is a schematic representation of an internet-of-things (IoT) healthcare monitoring system. A microcontroller is linked to the sensing devices so that they may play the status that is therefore sent to an LCD display and even farther distant relationships with the ability to exchange warnings [20,21]. Assuming that shape detects any unexpected changes in the patient's internal temperature or heart rate, the design pleasantly surprises the buyer about the patient's condition through IoT and also displays dispersed components of the buyer's heart rate and temperature online [22,23]. Consequently, IoT-enabled passive prosperity adheres to form appropriately using net to display passive wellness

Vol 18, Issue 4, 2024



elements and further waits time. A woman-centered investigation system based on the Internet of Things (IoT) and an SMS-primarily based individual flourishing survey each have considerable potential. Illustration of a smart health care system for remote COVID patient monitoring (Figure 2). The new system can detect the progression and severity of illness by combining data from several sensors. You may see the patient's heart rate, blood pressure, and breathing rate. Additionally, it is possible to continually assess the patient's blood pH. One indicator of a patient's overall health is their blood pH. In order to determine the patient's health state, all of the collected data, including vital signs readings, will be combined. Additionally, the E-Quarantine architecture might be useful for simultaneously verifying various usage. Without overwhelming the healthcare system, the research team recommends using computerised reasoning to remotely evaluate patients, ensuring that they receive the medication and care they need.

### 4. RESEARCH MEHODOLOGY

Clinical tracking systems are the most important resources available to a nation with a fast expanding population that is looking to enhance its healthcare system. Since coronavirus is very contagious, it is critical to isolate patients with the virus while simultaneously ensuring that medical professionals keep an eye on their patients' health. Keeping tabs on the financial situations of several individual customers is becoming more difficult as the number of cases continues to rise. In this context, the suggested device configuration of a wireless sensor area based on Iota cutting-edge technology is ideal. It is common practice in healthcare facilities to do this in order to facilitate the transfer of various detection devices that monitor patient data. Featuring intriguing sensors, this gadget includes wireless based absolute local area (Wi-Fi). Connecting the transmitter part to other devices is possible, and some examples of such devices include temperature sensors, blood pressure monitors, heart rate oximeters, and heart rate monitors. All of the supporters have these sensors connected to them simultaneously employing detecting devices so that we may collect their worries. The clinical expert is part of the collector district that receives the same data remotely; he may also use that recipient issue to acquire updates on his patients. It will also clearly communicate audio messages to victims, allowing them to take as much time as they need. The client will be able to convey the victims' crisis situation just as effectively as a single sharp ringer. The suggested system's block diagram was shown (Figure 3).





Figure. 3: Schematic view of proposed block diagram

## 5. RESULTS AND DISCUSSION

It is possible to live a pleasant and reasonable life with the expectation of contributions via approved approaches. The primary function of any intelligent home automation device is to enable users to remotely control and monitor their home system. Keeping this in mind, it is recommended that we develop a device that not only provides beautiful home management and monitoring capabilities, but also facilitates a more robust method of client presence. As a growing field in Iota, smart homegrown computerisation has undoubtedly flourished in many wonderful places, including: easy-to-use, assisted daily living, particularly for the accessibility of assistance to people, home device remote controls, development discovery, energy control in the home, security, and medical service response for out-patients, handicapped, and elderly people. So far, there has been no clear examination of the design of a machine for both health and pleasant being following on from indigenous control. Keeping this in mind, we look into a scenario where John has been discharged from the health centre, but his clinical specialist still needs to keep a close eye on his vital signs, and he is usually wrapped up in bed, relaxing at home. Two things would help John enjoy his time at home more fully: turning on the TV while laying on the sleeping pad and being able to turn on and off the fan and light. Similarly, the oxygen saturation, heart rate, and temperature of a subset of patients were computed and shown graphically (Figures 4-6).



**Figure 4:** Graph represents the heartbeat ratio of different COVID-19 Patients observed through the proposed system.




Figure 5: Graph represents the temperature ratio of different COVID-19 Patients observed through the proposed system




Figure 6: Graph represents the Pulse level (SPO2) of different COVID-19 Patients observed through the proposed system

When all is said and done in bed. We decided to propose a clever indigenous medical care automation equipment to help folks in John's express their projects. Supported devices function similarly to record physiological limits in a module, communicate recorded boundaries to the healthcare provider, and also guide the home. A number of specimens have been tested, and the design has been encased in a mask. In these pandemic scenarios, the gadget proved to be very effective, according to the data. Through an Android app, the created gadget properly records the patient's temperature and heart rate and sends that information to both the patient and the administrator, enabling remote patient monitoring. Travelling to a medical facility or emergency clinic poses a considerable danger to patients' and others' health, even under normal conditions; this gadget is better suited for scenarios like the COVID-19 pandemic. The expert may learn more about the COVID-19 cases in that region and find the infected individual by tracking the patient's current whereabouts. Thanks to the new technology, workers against COVID-19 may carry out their responsibilities without any problems. The device that has been suggested is quite small and affordable. In the area and in the lead-up to COVID-19, it is usually put to good use.

# 6. CONCLUSION

Setting up monitoring systems is all about reducing medical care expenses. One way to do this is by decreasing logical master workplace visits, facility stays, and the amount of symptomatic discovery devices that our bodies temperature and beat detection to read comprehension safety and security. The sensing devices are linked to a microcontroller, which then communicates the status to an LCD display and other remote connections that may exchange warnings. Unanticipated shifts in perceiving the patient's internal temperature or heart rate, the design finally shocks the buyer about the patient's condition via IoT and also displays dispersed components of the buyer's temperature and heart rate online. The Internet of Things (IoT) lenient prosperity clinging to form makes good use of the internet to display silent health factors and saves time. A woman-centered investigation system based on the Internet of Things (IoT) and an SMSprimarily based individual flourishing survey each have considerable potential. In order to detect the progression and severity of illness, the framework relies on combined data from many sensors. You may see the patient's heart rate, blood pressure, and breathing rate. Additionally, it is possible to continually assess the patient's blood pH. One indicator of a patient's overall health and safety is their blood pH. The transmitter part is connected to a number of Wi-Fi-enabled sensors, including a thermometer, a blood pressure monitor, and a pulse oximeter. All of the supporters have these sensors connected to them simultaneously employing detecting devices so that we may collect their worries. The clinical expert is part of the data collector district, and he may get all victim updates via that receiver problem. The data is also sent remotely. It will also clearly communicate audio messages to victims, allowing them to take as much time as they need. The client will be able to convey the victims' crisis situation just as effectively as a single sharp ringer. A number of specimens have been tested, and the design has been encased in a mask. In these pandemic scenarios, the gadget proved to be very effective, according to the data. In a similar vein, the graph showing the selected patients' heart rates, temperatures, and oxygen levels was generated and shown. The device will allow the modern workers fighting COVID-19 to go out their duties without worry. The device that has been suggested is quite small and affordable. In the area and in the lead-up to COVID-19, it is usually put to good use.

#### REFERENCES

- [1] N. El-Rashid, S. El-Sappagh, S. M. R. Islam, H. M. El-Bakry, and S. Abdelrazek, "End-to-end deep learning framework for coronavirus (COVID-19) detection and monitoring," Electronics, vol. 9, no. 1439, pp. 1-25, 2020.
- Priyanka, P., 2021. Iot Based Covid-19 Patient Health Monitoring System. Turkish Journal of Computer and Mathematics Education (TURCOMAT), 12(12), pp.4599-4604.
- N. Mutha, E. Meel, R. Rokade, and P. G. Deshmukh, "Patient health monitoring using android application," International Journal of Innovative Research in Computer And Communication Engineering, vol. 4, no. 3, 2016.
- Chen, Z., Khan, S., Abbas, M., Nazir, S. and Ullah, K., 2021. Enhancing Healthcare through Detection and Prevention of COVID-19 Using



- Internet of Things and Mobile Application. Mobile Information Systems, 2021.
- [5] D. Serpanos and M. Wolf, "IoT System Architectures," in Internet-of- Things (IoT) Systems Architectures, Algorithms, Methodologies, Springer International Publishing, Switzerland, 2019.
- [6] M. A. A. Harun, M. M. Hossain, M. A. Bari et al., "Pulse oximetry is essential in home management of elderly COVID-19 patients," *Bangladesh Journal of Otorhinolaryngology*, vol. 26, no. 1, pp. 55–67, 2020.
- [7] T. S. Arulananth and B. Shilpa, "Fingertip based heart beat monitoring system using embedded systems," in *Proc. International conference of Electronics, Communication and Aerospace Technology (ICECA)*, pp. 227–230, Coimbatore, India, 2017.
- [8] M. M. Khan, "IoT based smart healthcare services for rural unprivileged people in Bangladesh: current situation and challenges," in *1st International Electronic Conference on Applied Science, MDPI*, pp. 1–6, Switzerland, 2020.
- [9] I. Sutradhar, G. R. Das, M. Hasan, A. Wazib, and M. Sarker, "Prevalence and risk factors of chronic obstructive pulmonary disease in Bangladesh: a systematic review," *Cureus*, vol. 11, 2019
- [10] Momtazmanesh S, et al. All together to fight COVID-19. Am J Trop Med Hyg. 2020; 102(6):1181–3.
- [11] Iftekhar EN, et al. A look into the future of the COVID-19 pandemic in Europe: an expert consultation. Lancet Reg Health Eur. 2021; 8:100185.
- [12] Priesemann V, et al. Towards a European strategy to address the COVID-19 pandemic. Lancet. 2021; 398(10303):838–9.
- [13] Islam MM, Rahaman A, Islam MR. Development of smart healthcare monitoring system in IoT environment. SN Comput Sci. 2020;1(3):185.
- [14] Senthamilarasi C, et al. A smart patient health monitoring system using IoT. Int J Pure Appl Math. 2018; 119(16):59–70.
- [15] Li X, et al. Digital health: tracking physiomes and activity using wearable biosensors reveals useful health-related information. PLoS Biol. 2017; 15(1):e2001402.
- [16] Bahmani A, et al. A scalable, secure, and interoperable platform for deep data-driven health management. Nat Commun. 2021; 12(1):5757.
- [17] Rahaman A, et al. Developing IoT based smart health monitoring systems: a review. Rev d'Intell Artif. 2019; 33(6):435–40.
- [18] Huang M, et al. A wearable thermometry for core body temperature measurement and its experimental verification. IEEE J Biomed Health Inform. 2017; 21(3):708–14.
- [19] Sharma N, et al. A smart ontology-based IoT framework for remote patient monitoring. Biomed Signal Process Control. 2021; 68:102717.
- [20] Alhussein M, et al. Cognitive IoT-cloud integration for smart healthcare: case study for epileptic seizure detection and monitoring. Mobile Netw Appl. 2018; 23(6):1624–35.
- [21] Dr. J. S. Awati, Prof. S.S. Patil and Dr. M.S. Kumbhar (2021), Smart Heart Disease Detection using Particle Swarm Optimization and Support Vector Machine. IJEER 9(4), 120-124. DOI: 10.37391/IJEER.090405.
- [22] Nitin Thapliyal and Priti Dimri (2022), Load Balancing in Cloud Computing Based on Honey Bee Foraging Behavior and Load Balance Min-Min Scheduling Algorithm. IJEER 10(1), 1-6. DOI: 10.37391/IJEER.100101.